



Bishop Sleeve Blouse

A romantic high-neck woven blouse with dramatic gathered bishop sleeves and buttoned cuffs

Garment Type: Long-Sleeve Blouse | Difficulty: Intermediate | Provenance: Threadline Open Design Studio | License: CC BY-SA 4.0

PRINTER CALIBRATION & SCALE VERIFICATION

Measure both test squares with a rigid ruler before cutting fabric. Print at 100% scale without shrinking.



- Scale Rules:
1. Open in Acrobat Reader
 2. Select Actual Size 100%
 3. Do NOT Fit to Page
 4. Verify dimensions above

SIZE SELECTION & EASE RECOMMENDATIONS

Select size based on high bust and shoulder width. The bishop sleeves provide ample freedom of movement.

Generous sleeve ease with +12 cm +4.7" positive bust ease.

STANDARD BODY MEASUREMENTS CHART

Size Range	XS	S	M	L	XL	2XL	3XL
Full Bust/Chest	80 cm	86 cm	94 cm	102 cm	112 cm	122 cm	132 cm
Full Hip / Seat	88 cm	94 cm	102 cm	110 cm	120 cm	130 cm	142 cm

FINISHED MEASUREMENTS & MATERIALS

FINISHED GARMENT MEASUREMENTS (INCLUDES DESIGN EASE)

Dimension	XS	S	M	L	XL	2XL	3XL
Finished Chest	92 cm	98 cm	106 cm	114 cm	124 cm	134 cm	144 cm
Hem Sweep	102 cm	108 cm	116 cm	124 cm	134 cm	144 cm	154 cm
Garment Length	58 cm	59 cm	60.5 cm	62 cm	63.5 cm	65 cm	66.5 cm

FABRIC REQUIREMENTS (45 IN / 115 CM & 60 IN / 150 CM BOLTS)

Bolt Width	XS	S	M	L	XL	2XL	3XL
45" / 115 cm Fabric	2.4 yd	2.4 yd	2.4 yd	2.7 yd	2.7 yd	3.1 yd	3.1 yd
60" / 150 cm Fabric	1.9 yd	1.9 yd	1.9 yd	2.1 yd	2.1 yd	2.4 yd	2.4 yd

RECOMMENDED FABRICS & STRETCH PROPERTIES

Recommended Substrates: Viscose or rayon twill for dramatic billowing sleeve drape, Silk crepe or georgette for fluid luxury, Cotton lawn or voile for crisp poet-style sleeve volume, Tencel lyocell for sustainable everyday elegance. Stretch Requirement: None 0% stretch - stable woven.

NOTIONS & SEWING TOOLS CHECKLIST

- ☐ 3 buttons 10 12 mm, 1 for back neck, 2 for cuffs
- ☐ Fusible lightweight interfacing 0.4 m
- ☐ Matching thread
- ☐ Sharp fabric shears
- ☐ Measuring tape
- ☐ Iron and pressing ham

PATTERN INVENTORY & CUTTING LAYOUT

STANDARD SEAM & HEM ALLOWANCES

Use the seam and hem allowances printed on each pattern piece. Verify every allowance label before cutting fabric.

PATTERN PIECE INVENTORY & CUTTING SCHEDULE

Piece Name	Cut Quantity	Material / Interfacing
Front Bodice on Fold	Cut 1 on fold	Main Fabric
Back Bodice with Keyhole	Cut 1 pair	Main Fabric
Bishop Sleeve	Cut 1 pair	Main Fabric
Sleeve Cuffs	Cut 4 (2 interfaced)	Main Fabric
Neckband	Cut 2	Main Fabric

FABRIC PREPARATION & CUTTING RULES

- Mark sleeve gather notches and cuff placement points.

MULTI-PAGE TILE ASSEMBLY INSTRUCTIONS

1. Check Sheet 1 calibration square before printing the remaining pattern sheets.
2. Trim right and bottom border lines along the dashed perimeter frame.
3. Match corner crosshairs, such as A1 to A2 and B1 to B2, without overlapping.
4. Tape sheets securely on both sides before cutting paper pieces.

STEP-BY-STEP SEWING INSTRUCTIONS

Step 1: Back Keyhole & Shoulder Seams

Finish keyhole slit on back bodice with continuous lap. Align Front Bodice on Fold and back bodice right sides together, stitch shoulder seams, and press seam allowances open.

Step 2: Attach Neckband

Stitch neckband to neckline right sides together sandwiching elastic button loop at back corner. Understitch and press seam allowances.

Step 3: Gather & Cuff Bishop Sleeves

Run two gathering rows along wrist edge. Pull gathers to match cuff width. Stitch cuff right sides together, enclose raw edges, and topstitch.

Step 4: Set Sleeves & Hem

Set bishop sleeves into armholes right sides together with slight ease. Stitch side seams right sides together, press seam allowances, and hem bottom edge. Sew buttons onto cuffs and back neck.

TROUBLESHOOTING & PRO SEWING TIPS

Issue: Gathers are bunched unevenly around cuff

Fix: Always sew two parallel gathering lines 6 mm apart for smooth distribution.