



Cropped Boxy Streetwear Tee

A modern heavyweight boxy t-shirt with dropped shoulders, wide crewband, and relaxed high-hip crop

Garment Type: Knit Tee | Difficulty: Beginner | Provenance: Threadline Open Design Studio | License: CC BY-SA 4.0

PRINTER CALIBRATION & SCALE VERIFICATION

Measure both test squares with a rigid ruler before cutting fabric. Print at 100% scale without shrinking.



Scale Rules:

- 1. Open in Acrobat Reader
- 2. Select Actual Size 100%
- 3. Do NOT Fit to Page
- 4. Verify dimensions above

SIZE SELECTION & EASE RECOMMENDATIONS

Drafted with 22 cm 8.7" of boxy chest ease. True to streetwear fit.

Boxy streetwear ease of +22 cm +8.7" across chest with wide drop shoulders.

STANDARD BODY MEASUREMENTS CHART

Size Range	XS	S	M	L	XL	2XL	3XL
Full Bust/Chest	80 cm	86 cm	94 cm	102 cm	112 cm	122 cm	132 cm
Full Hip / Seat	88 cm	94 cm	102 cm	110 cm	120 cm	130 cm	142 cm

FINISHED MEASUREMENTS & MATERIALS

FINISHED GARMENT MEASUREMENTS (INCLUDES DESIGN EASE)

Dimension	XS	S	M	L	XL	2XL	3XL
Finished Chest	102 cm	108 cm	116 cm	124 cm	134 cm	144 cm	154 cm
Hem Sweep	102 cm	108 cm	116 cm	124 cm	134 cm	144 cm	154 cm
Garment Length	48 cm	49.5 cm	51 cm	52.5 cm	54 cm	55.5 cm	57 cm

FABRIC REQUIREMENTS (45 IN / 115 CM & 60 IN / 150 CM BOLTS)

Bolt Width	XS	S	M	L	XL	2XL	3XL
45" / 115 cm Fabric	1.4 yd	1.4 yd	1.4 yd	1.6 yd	1.6 yd	1.9 yd	1.9 yd
60" / 150 cm Fabric	1.1 yd	1.1 yd	1.1 yd	1.3 yd	1.3 yd	1.5 yd	1.5 yd

RECOMMENDED FABRICS & STRETCH PROPERTIES

Recommended Substrates: Heavyweight 100% cotton jersey 230 280 gsm for authentic streetwear drape, Organic carded cotton jersey, Heavy bamboo-cotton blend. Stretch

Requirement: 20 30% stretch with good structure.

NOTIONS & SEWING TOOLS CHECKLIST

- ☐ 1x1 matching rib knit for collar 0.2 m
- ☐ Ballpoint needle size 80/12
- ☐ Matching thread
- ☐ Sharp fabric shears
- ☐ Measuring tape
- ☐ Iron and pressing ham

PATTERN INVENTORY & CUTTING LAYOUT

STANDARD SEAM & HEM ALLOWANCES

Use the seam and hem allowances printed on each pattern piece. Verify every allowance label before cutting fabric.

PATTERN PIECE INVENTORY & CUTTING SCHEDULE

Piece Name	Cut Quantity	Material / Interfacing
Front Bodice on Fold	Cut 1 on fold	Main Fabric
Back Bodice on Fold	Cut 1 on fold	Main Fabric
Wide Drop Sleeve	Cut 1 pair	Main Fabric
Wide Rib Neckband	Cut 1	Main Fabric

FABRIC PREPARATION & CUTTING RULES

- Lay patterns parallel to grainline.

MULTI-PAGE TILE ASSEMBLY INSTRUCTIONS

1. Check Sheet 1 calibration square before printing the remaining pattern sheets.
2. Trim right and bottom border lines along the dashed perimeter frame.
3. Match corner crosshairs, such as A1 to A2 and B1 to B2, without overlapping.
4. Tape sheets securely on both sides before cutting paper pieces.

STEP-BY-STEP SEWING INSTRUCTIONS

Step 1: Shoulder Seams

Align Front Bodice on Fold and Back Bodice on Fold right sides together. Stitch dropped shoulder seams with stabilizing tape. Press seam allowances toward back.

Step 2: Wide Rib Neckband

Join neckband into circle, fold lengthwise. Pin evenly into neckline, stretch to fit, and serge.

Step 3: Insert Dropped Sleeves

Insert wide drop sleeves flat into armholes right sides together. Serge seams and press seam allowances.

Step 4: Side Seams & Wide Hem

Serge side seams. Press up 2.5 cm wide hem and stitch with twin needle.

TROUBLESHOOTING & PRO SEWING TIPS

Issue: Rib band stands away from neck

Fix: Cut rib band to 75-80% of neckline circumference.